


POWERTOOL ACCESSORIES

We Cut Keys!

trend
routing technology

TREND STRAIGHT ROUTER CUTTERS



Trend two flute straight cutters

Suitable for a wide range of applications such as engraving, grooving, rebating and shallow mortising

Use on softwoods, hardwoods, MDF, plywood and chipboard

All cutters have a bottom cut feature

Product code:	Shank Dia (inches)	D (mm)	C (mm)	Overall length (mm)					
000040	1/4	12.7	19.1	59.5					
000043	1/4	12.7	25.4	66.0					
000042	1/2	12.7	25.4	68.0					
000041	1/4	12.55	25.4	66.0					
000046	1/4	12.7	31.8	72.5					
000045	1/2	12.7	31.8	74.5					
000044	1/2	12.7	38.0	81.0					
000049	1/4	14.3	19.1	60.0					
000047	1/4	14.0	19.0	59.5					
000048	1/2	14.0	50.0	95.5					
000054	1/4	14.3	25.4	68.5					
000051	1/4	15.0	25.0	65.5					
000050	1/2	15.0	25.0	67.5					
000052	1/2	15.0	35.0	76.5					
000053	1/2	15.0	50.0	89.0					
000060	1/4	15.9	19.1	59.5					
000056	1/4	16.0	19.0	60.0					
000055	1/2	16.0	19.0	61.0					
000057	1/2	15.9	32.0	74.0					
000058	1/2	16.0	51.0	89.5					
000059	1/2	15.9	63.0	105.0					
000062	1/4	15.9	25.4	75.5					
000061	1/2	15.9	25.4	60.0					
000063	1/4	17.5	19.1	60.0					
000067	1/4	17.5	25.4	65.0					
000065	1/4	18.0	25.0	65.0					
000064	1/2	18.0	25.0	67.0					
000066	1/2	18.25	19.1	60.0					
000068	1/4	19.1	19.1	59.5					
000073	1/4	19.1	25.4	66.0					
000072	1/2	19.1	25.4	64.0					
000069	1/4	20.0	20.0	60.5					
000070	1/2	19.1	50.0	92.5					
000071	1/2	20.0	25.0	66.5					
000075	1/4	20.6	19.1	59.0					
000074	1/4	21.0	19.0	60.0					
000076	1/4	22.2	19.1	60.0					
000077	1/4	25.0	19.0	59.5					
000078	1/2	25.4	25.0	64.0					
000079	1/2	25.4	37.0	79.0					
000007	1/4	3.2	9.5	60.0					
000003	1/4	3.0	9.5	56.5					
000004	1/4	3.2	12.7	60.5					
000005	1/4	2.0	5.0	55.5					
000006	1/4	2.5	8.0	49.0					
000008	1/4	4.0	11.1	60.0					
000009	1/4	4.8	11.1	56.0					
000010	1/4	5.0	16.0	71.5					
000012	1/4	6.0	16.0	60.0					
000011	1/4	6.0	20.0	64.0					
000014	1/4	6.3	12.7	56.0					
000013	1/4	6.3	15.9	59.5					
000015	1/4	6.3	19.1	62.5					
000017	1/4	6.3	25.4	68.5					
000016	1/2	6.3	25.4	76.0					
000018	1/4	7.1	19.1	61.5					
000019	1/4	7.1	25.4	67.5					
000020	1/4	7.9	19.1	59.5					
000024	1/4	7.9	25.4	68.5					
000021	1/4	8.0	25.0	68.5					
000023	1/4	9.0	19.0	59.5					
000022	1/2	9.0	19.0	68.0					
000025	1/4	9.5	19.1	59.5					
000026	1/4	9.5	25.4	66.0					
000028	1/4	9.5	31.8	72.5					
000027	1/2	9.5	31.8	76.5					
000033	1/4	10.0	19.1	59.5					
000032	1/2	10.0	19.1	63.0					
000029	1/2	10.0	35.0	79.0					
000031	1/4	10.0	25.0	58.0					
000030	1/2	10.0	25.0	69.0					
000034	1/4	11.1	19.1	59.5					
000036	1/4	11.1	25.4	66.0					
000035	1/4	11.1	32.0	72.5					
000039	1/4	12.0	19.1	60.0					
000038	1/2	12.0	19.1	61.5					
000037	1/4	12.0	19.0	71.0					
000137	1/2	12.0	63.0	100.0					


POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES


TREND SELF-GUIDED TRIMMERS

Used for trimming plastic or plywood overlays and copy profiling with a template



Product code:	Shank Dia (inches)	D (mm)	C (mm)	B (mm)	Overall length (mm)
000115	1/4	9.5	12.7	9.5	63.0
000114	1/4	9.5	24.5	9.5	75.0
000118	1/4	12.7	25.4	12.7	77.0
000117	1/2	12.7	25.4	12.7	79.5
000116	1/4	12.7	16.0	12.7	68.0
000122	1/4	15.9	15.9	15.9	67.5
000120	1/4	19.1	25.0	15.9	78.5
000119	1/2	19.1	25.0	15.9	76.5
000121	1/2	19.1	50.0	15.9	102.0

TREND TEMPLATE PROFILERS



Product code:	Shank Dia (inches)	D (mm)	C (mm)	B (mm)	Overall length (mm)
000130	1/4	12.7	25.4	12.7	71.0
000126	1/4	12.7	9.5	12.7	55.5
000127	1/4	15.9	25.0	15.9	71.0
000128	1/4	12.7	32.0	12.7	77.5
000129	1/4	15.9	12.7	15.9	58.5
000131	1/4	19.1	25.4	19.1	65.5

POWERTOOL ACCESSORIES




POWERTOOL
ACCESSORIES

trend[®]
routing technology



TREND RADIUS CUTTERS

Ideal for engraving and decorative panel work



Product code:	Shank Dia (inches)	C (mm)	D (mm)	R (mm)	Overall length (mm)
000101	1/4	9.5	3.2	1.6	61.5
000102	1/4	12.7	6.3	3.2	65.0
000103	1/4	6.3	9.5	4.8	46.5
000104	1/4	7.9	12.7	6.3	48.5
000106	1/4	12.7	19.1	9.5	53.0
000105	1/2	32.0	19.1	9.5	80.0

TREND ROUNDING OVER CUTTERS




Product code	Shank Dia (inches)	D (mm)	C (mm)	B (mm)	B2 (mm)	R (mm)	Overall length (mm)
000107	1/4	19.0	9.5	9.5	12.7	3.2	61.0
000108	1/4	22.2	12.7	9.5	12.7	4.8	64.5
000109	1/4	25.4	12.7	9.5	12.7	6.3	64.0
000111	1/4	31.7	15.9	9.5	12.7	9.5	67.5
000110	1/2	31.7	15.9	9.5	12.7	9.5	66.0
000113	1/4	38.0	19.1	9.5	12.7	12.7	70.5
000112	1/2	38.0	19.1	9.5	12.7	12.7	68.5

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES



TREND ROMAN OGEE RADIUS CUTTER



Product code:	Shank Dia (inches)	D (mm)	C (mm)	B (mm)	R (mm)	Overall length (mm)
000001	1/4	25.4	15.9	9.5	4.0	65.5

TREND SELF-GUIDED REBATERS



These cutters are self-guiding and can be used to produce rebates, lap joints, tongues and rebated corners



Product code:	Shank Dia (inches)	D (mm)	C (mm)	B (mm)	B2 (mm)	E (mm)	E2 (mm)	Overall length (mm)
000081	1/4	35.0	12.7	9.5	12.7	11.1	12.7	65.0
000080	1/2	35.0	12.7	9.5	12.7	11.1	12.7	63.0

TREND CHAMFER ANGLE CUTTERS

For producing extra clean-cut beveled edges



Product code:	Shank Dia (inches)	D (mm)	C (mm)	A (degrees)	Overall length (mm)
000095	1/4	22.2	10.0	67	50.0
000096	1/4	25.4	10.0	60	50.0
000097	1/4	34.9	10.0	45	50.0

POWERTOOL ACCESSORIES




POWERTOOL
ACCESSORIES




TREND CHAMFER V GROOVE CUTTER

For veining, panelling, 'V' grooving,
bevelling & chamfering



Product code	Shank dia (inches)	D (mm)	C (mm)	A (degrees)	Overall length (mm)
000086	1/4	12.7	11.0	60	53.0
000085	1/2	12.7	11.0	60	55.0
000082	1/4	19.0	20.5	60	70.5
000090	1/4	12.7	13.0	45	53.0
000089	1/2	12.7	13.0	45	55.0
000087	1/2	19.1	11.0	45	54.5
000094	1/4	25.4	20.0	45	55.0
000091	1/2	32.0	23.0	45	55.0
000092	1/2	38.0	27.0	45	64.0
000093	1/2	51.0	33.0	45	71.0

TREND SELF-GUIDED CHAMFER ANGLE CUTTERS




Product code	Shank Dia (inches)	D (mm)	C (mm)	B (mm)	Angle (degrees)	Overall length (mm)
000100	1/4	32.0	12.7	9.5	45	62.0
000099	1/2	32.0	12.7	9.5	45	60.0

TREND PIN GUIDED CHAMFER BEVEL CUTTER

For chamfering edges of plastic material
Shank size: 1/4"

Product code: 000098




POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

TREND SELF-GUIDED BEVEL TRIMMERS

Produces a smooth bevel finish for laminate and other materials



Product code:	Shank Dia (inches)	D (mm)	C (mm)	B (mm)	A (degrees)	Overall length (mm)
000124	1/4	18.5	6.3	12.7	65	58.0
000123	1/4	14.5	14.0	12.7	83	66.0

TREND KEYHOLE CUTTER

Plunge cutter & move forward, then retract out from entry hole

A template is recommended

For No8 & No10 screw heads

Not suitable for grooving applications

D - 9.5mm



D2 - 4.5mm

C - 4.5mm

S - 5.5mm

Shank diameter - 1/4"


Overall length: 53mm



Product code: 000125

TREND TRIPLE FLUTE ENGRAVER

Shank size: 1/4"



Product code: 000084

POWERTOOL ACCESSORIES





POWERTOOL
ACCESSORIES



TREND PANEL MOULD CUTTER


For veining, panelling, 'V' grooving,
bevelling & chamfering



Product code:	Shank Dia (inches)	D (mm)	C (mm)	Bearing size (mm)	A (degrees)	Overall length (mm)
000083	1/4	12.7	12.7	12.7	45	52.5
000088	1/4	12.7	16.0	12.7	60	56.0



TREND BISCUIT JOINTER CUTTER SET

Supplied with 3 interchangeable
bearings to suit biscuit sizes, 0, 10 and 20



Product code:	Shank Dia (inches)	D (mm)	C (mm)	B (mm)	B2 (mm)	B3 (mm)	Overall length (mm)
000133	1/4	37.2	4.0	12.7	16.0	19.0	63.5
000132	1/2	37.2	4.0	12.7	16.0	19.0	64.0

TREND INTUMESCENT STRIP CUTTERS



Product code:	Shank Dia (inches)	D (mm)	C (mm)	B (mm)	E (mm)	Overall length (mm)
000139	1/4	24.0	10.0	16.0	4.0	58.0
000138	1/2	40.0	10.0	32.0	4.0	62.0
000140	1/4	24.0	15.0	16.0	4.0	63.0
000141	1/2	40.0	15.0	32.0	4.0	67.0
000142	1/2	40.0	20.0	32.0	4.0	72.0

POWERTOOL ACCESSORIES

We Cut Keys!

trend[®]
routing technology

POWERTOOL
ACCESSORIES

TREND ROUTER MACHINE BIT

For recessing circular hinges

A template and guide bush fitted to the router base should be used


Shank dia: 1/2"



Product code: 000143

TREND HINGE SINKING CUTTER

For melamine faced boards



Product code:	Shank Dia (mm)	D (mm)	OL (mm)
000145	8.0	35.0	57.0

TREND ECONOMY WORKTOP CUTTER

BEST SELLER

Shank dia: 1/2"


Blade length: 50mm

Overall length: 90mm



Product code: 009507

TREND MEDIUM DUTY WORKTOP CUTTER



Product code	Shank Dia (inches)	D (mm)	C (mm)	OL (mm)
000135	1/2	12.7	50.0	93.5
000136	1/2	12.7	63.0	105

TREND WORKTOP CUTTER - 5 PACK

5-pack of medium duty worktop cutters (000135)



Product code: 000144

TREND PROFESSIONAL WORKTOP CUTTER

Shank Dia: 1/2"

Cutter diameter: 12.7mm

Cutter length: 50.0mm

Overall length: 99.0mm

Premium quality



Product code: 000327


POWERTOOL ACCESSORIES

POWERTOOL
ACCESSORIES



TREND PROFESSIONAL STRAIGHT CUTTER


000323 suitable for
Trend hinge and lock jigs



Product code:	Shank Dia (inches)	D (mm)	C (mm)	OL (mm)
000322	1/4	10.0	19.0	51.0
000321	1/2	10.0	19.0	63.0
000323	1/4	12.0	19.0	66.0

TREND PROFESSIONAL STRAIGHT CUTTER - ABRASIVE MATERIALS


Has a TCT plunge tip in the centre
For abrasive materials such as chipboard,
MDF, plywood, hardwoods and hard plastics



Product code:	Shank Dia (inches)	D (mm)	C (mm)	OL (mm)
000325	1/4	15.0	25.0	57.0
000324	1/2	15.0	25.0	57.0

TREND PROFESSIONAL ROTA-TIP CUTTER

Trend professional rota-tip cutter
Tool body can remain in place
while replacing blades - reducing
down time
Blade can be rotated 180 degrees
to double the lifetime of a
conventional blade
Suitable for plunge cutting
OL: 100.0mm
D: 12.7mm
C: 29.5mm



Product code: 000326

TREND PROFESSIONAL ROTA-TIP REPLACEMENT BLADES



Product code:	Length (mm)	Width (mm)	Thickness (mm)	Pack size
000210	29.5	9.0	1.5	1
000160	29.5	9.0	1.5	10
000156	49.5	9.0	1.5	1

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

TREND ROUTER CUTTER SET - 15 PCE

1/2" shank
Contains a range of popular cutters



Product code: 000212

TREND ROUTER CUTTER SET - 12 PCE

1/4" shank
Contains a range of popular cutters



Product code: 000211

ABRACS CONTRACT DIAMOND BLADE

**BEST
SELLER**

Diameter: 300mm
Bore: 20mm



Product code: 007979

OX GENERAL-PURPOSE DIAMOND BLADE



Product code:	Diameter (mm)	Bore (mm)	Segment height (mm)
001821	115	22	10
001822	230	22	10
001823	300	20	10

OX TRADE GENERAL PURPOSE DIAMOND BLADE

General purpose blade
with all-round performance



Product code:	Diameter (mm)	Bore (mm)	Segment height (mm)
001818	115	22	12
001819	230	22	12
001820	300	20	12

OX TRADE ULTIMATE DIAMOND BLADE

Fast cutting universal blade
Features super-fast turbo segment
and cooling holes
Cuts it all - guaranteed



Product code:	Diameter (mm)	Bore (mm)	Segment height (mm)
001824	115	22	10
001825	230	22	10
0001826	300	20	10

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

OX STANDARD MORTAR RAKE DIAMOND BLADE

Entry level product for the cost-conscious user

Segment blade: 6mm

Diameter: 115mm

Bore: 22mm



Product code: 001817

OX TRADE MORTAR RAKE DIAMOND BLADE

Segment blade: 6mm

Diameter: 115mm

Bore: 22mm



Product code: 001832

OX DRY CORE DRILLS

Universal dry core for long life in most building materials including semi-engineering bricks, clay products, limestone and aggregate concrete



Product code:

Diameter (mm)

001810

38

001811

52

001812

65

001813

107

001814

117

001815

127

001816

152

FAITHFULL DIAMOND BLADE SET - 4 PCE

Contains 3 segmented blades and 1 continuous rim turbo blade

Blade size: 115mm

Bore: 22.2mm



Product code: 007618

SOLID EXTENSION

Thread: 1/2" BSP
Length: 250mm
A taper



Product code: 001829

POWERTOOL ACCESSORIES



TAPER DRILL	
<p>Diameter: 13mm Length: 210mm A taper</p>	
<p>Product code: 001828</p>	

SDS ADAPTOR	
<p>Thread: 1/2" BSP</p>	
<p>Product code: 001830</p>	

DRIFT KEY	
<p>1/2" shank</p>	
<p>Product code: 000212</p>	

HEX ADAPTOR	
<p>Thread: 1/2" BSP</p>	
<p>Product code: 001831</p>	

DIAMOND CORE SET	
<p>BEST SELLER</p> <p>Brand may vary 11-piece set Sizes included: 38, 52, 65, 117 and 127mm</p>	
<p>Product code: 007779</p>	

OX PRO DIAMOND DRILL BIT	
<p>Fast drilling long life diamond drills supplied with unique water container for accurate positioning and cooling of the diamond tip Standard hex shank</p> <p>Sizes in stock: 5mm - 001837 6mm - 001838 7mm - 001839 8mm - 001840 10mm - 001841 12mm - 001842 15mm - 001843 25mm - 001844</p>	
<p>Product code: see above</p>	

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

**We Cut
Keys!**

OX PRO DRY DIAMOND DRILL BIT

Drills all tiles including porcelain
Fits almost any drill
Works without water

Sizes in stock:
6mm - 008346
7mm - 008347
8mm - 008348
10mm - 008349



Product code: see above

BOSCH CERAMIC DRILL BITS



For soft and medium density tiles

Product code	Diameter (mm)	Total length (mm)
000731	3	70
000732	5	70
000733	6	80
000734	7	80
008695	8	80
008694	10	90

BOSCH MASONRY DRILL BITS - SDS PLUS



4 flute design provides fast dust removal for increased drilling speeds and reduced wear

Effectively drills through steel reinforcement

Product code:	Diameter (mm)	Drilling length (mm)	Total length (mm)				
000510	4	50	115	000536	10	400	460
000507	5	100	160	000537	12	150	210
000549	5	150	210	000548	12	300	360
000523	5.5	100	160	000538	12	400	460
000550	5.5	150	210	000539	14	150	210
000558	6	100	160	000540	14	400	460
000530	6	150	210	000518	14	250	310
000553	6	200	260	000541	16	150	210
000520	6	400	465	000514	16	400	450
007489	6.5	100	160	000525	16	950	1005
000557	6.5	150	210	000508	18	150	200
000552	6.5	200	260	000542	18	250	300
000531	7	100	160	000543	20	150	200
000554	7	150	210	000544	20	400	450
000532	8	150	210	000511	22	200	250
000559	8	200	260	000560	22	550	600
000533	8	400	460	000561	24	200	250
000534	10	150	210	007474	26	200	250
000535	10	250	310	000545	26	400	450
000547	10	300	360				

POWERTOOL ACCESSORIES



ABRACS SDS PLUS DRILL BIT SET - 7 PCE

Bit length: 160mm
Contents: 5, 5.5, 6, 7, 8, 10 & 12mm



Product code: 007147

LONG SDS PLUS BIT SET

Contents:
12 x 1000mm
16 x 1000mm
24 x 1000mm



Product code: 008946

BOSCH MULTI-CONSTRUCTION DRILL BIT

Delivers stable drilling in all kinds of materials



Centring tip provides a steady drilling start and good guidance



Product code:	Diameter (mm)	Drilling length (mm)	Total length (mm)
000712	4	40	75
000713	5	50	85
000714	5.5	50	85
000715	6	60	100
000719	6.5	60	100
000720	6	90	150
000721	6.5	90	150
000725	7	90	150
000707	8	90	150
000708	10	90	150
000718	12	90	150
000709	6	200	250
000710	6.5	200	250
000711	7	200	250
000722	8	200	250
000723	10	200	250
000724	12	200	250
008824	14	150	200
008646	14	200	250

MULTI-CONSTRUCTION BIT SET - 7 PCE

Contents: 5, 5.5, 6, 6, 7, 8 & 10mm



Product code: 007416

MULTI-CONSTRUCTION BIT SET - 4 PCE

Contents: 5.5, 6, 7 & 8mm



Product code: 007420

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

BOSCH MASONRY PERCUSSION DRILL BIT - STANDARD SHANK

2 flute U shape provides good dust removal

Standard carbide tip makes the drill bit more wear resistant



Product code:	Diameter (mm)	Drilling length (mm)	Total length (mm)
000500	5.5	90	150
000501	6.5	90	150
000502	7	90	150
000726	8	90	150

BOSCH WOOD-WORKING DRILL BIT SET

35 pce



Product code: 000499

BOSCH BRAD POINT DRILL BITS

Precise drilling into soft and hardwood



Product code:	Diameter (mm)	Drilling length (mm)	Total length (mm)
000492	3	33	61
000493	4	43	75
000494	5	52	86
000495	6	57	93
000496	7	69	109
000497	8	75	117
000498	10	80	120
008839	13	96	151

BOSCH AUGER DRILL BITS

Used for fast drilling accuracy in wood
Heavy duty self-feeding tip pulls the bit through completely, allowing for quick precision drilling



Product code:	Diameter (mm)	Drilling length (mm)	Total length (mm)
00665	10	160	235
00674	10	360	450
00666	12	160	235
00675	12	360	450
00668	16	160	235
00676	16	360	450
00669	20	160	235
00670	22	160	235
00671	24	160	235
00672	26	160	235
00673	32	160	235

POWERTOOL ACCESSORIES



LONG AUGER BIT SET

Bit length: 600mm
Sizes: 8, 12, 16 & 24mm

Product code: 002547

IRWIN STUBBY AUGER BIT SET

Total length: 100mm
Working length: 50mm

Contents: 16, 18, 20, 22, 25 & 32mm

Product code: 004438

BOSCH FLAT BITS

Extremely fast hole drilling in wood
Self-feeding threaded tip

Product code:	Diameter (mm)	Drilling length (mm)	Total length (mm)
000479	6	117	152
000480	8	117	152
000481	10	117	152
000482	12	117	152
000483	13	117	152
000484	16	117	152
000485	20	117	152
000486	22	117	152
000487	25	117	152
000489	28	117	152
000490	32	117	152
000491	38	117	152

IRWIN STUBBY AUGER BITS

Total length: 100mm
Working length: 50mm

Product code	Diameter (mm)
004432	16
004433	18
004434	20
004435	22
004436	25
004437	32

BOSCH FLAT BIT SET

Contents: 13, 16, 19, 20, 22 & 25mm

Product code: 000478

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

BAHCO FLAT BIT SET

**BEST
SELLER**

Contents:
13, 16, 18, 20, 22, 25, 32 and
38mm



Product code: 009501

MAKITA FORSTNER BITS

For producing clean cut flat
bottom holes, pocket holes and
through holes in wood

Centering point for accuracy



Product code

Hole diameter (mm)

004427

32

004428

35

004429

40

004430

50

BOSCH METAL DRILL BITS - HSS-CO

Provides long lasting performance when
drilling stainless steel

Cobalt alloy and fully ground HSS provide
wear resistance and heat protection



Product code	Diameter (mm)	Drilling length (mm)	Total length (mm)
000464	3	33	61
000465	4	43	75
000466	5	52	86
000467	6	57	93
000468	8	75	117
000469	10	87	133
000471	12	101	151

BOSCH BLACKSMITH DRILL BITS

Enables fast drilling into metal due to
Point-TeQ tip design

Self-centring tip prevents wandering,
making quick and easy drilling starts
possible



Product code	Diameter (mm)	Drilling length (mm)	Total length (mm)
008954	14	108	160
000475	16	120	178
000473	17	125	184
000474	18	130	191
000419	20	140	205

POWERTOOL ACCESSORIES



BOSCH METAL DRILL BITS - HSS-G	Product code	Diameter (mm)	Drilling length (mm)	Total length (mm)	Pack size
		000420	1	12	34
	000421	1.5	18	40	2
	000422	2	24	49	2
	000463	2	24	49	10
	000423	2.5	30	57	2
	000447	2.5	30	57	10
	000424	3	33	61	2
	000448	3	33	61	10
	000455	3	66	100	1
	000425	3.3	36	65	2
	000426	3.5	39	70	2
	000449	3.5	39	70	10
	000456	3.5	73	112	1
	000427	4	43	75	2
	000450	4	43	75	10
	000457	4	78	119	1
	000428	4.2	43	75	1
	000429	4.5	47	80	1
	000430	5	52	86	1
	000451	5	52	86	10
	000458	5	87	132	1
	000431	5.5	57	93	1
	000432	6	57	93	1
	000452	6	57	93	10
	000459	6	91	139	1
	000433	6.5	63	101	1
	000434	6.8	69	109	1
	000435	7	69	109	1
	008264	7	69	109	10
	000436	7.5	69	109	1
	000437	8	75	117	1
	000453	8	75	117	5
	000460	8	109	165	1
	000438	8.5	75	117	1
	000439	9	81	125	1
	000440	9.5	81	125	1
	000461	10	121	184	1
	000441	10	87	133	1
	000454	10	87	133	5
	008794	10.2	87	133	1
	000442	10.5	87	133	1
	000443	11	94	142	1
	000444	12	101	151	1
	000445	12.5	101	151	1
	000446	13	101	151	1



Solid drilling for standard usage with metal

Precision ground bit made of HSS enables fast results

No pilot hole or pre-punch required up to 10mm

POWERTOOL ACCESSORIES

We Cut Keys!

POWERTOOL ACCESSORIES

BOSCH DRILL BIT SETS

Ideal for drilling through metal



METABO HSS-R DRILL BIT SET - 25 PC

Contents: 1 - 13mm

For drilling through non-ferrous metals



Product code: 007644

Product code:	Drill bit type	Size range (mm)
009265	HSS	1 - 10
009872	HSS	1 - 13
009687	HSS - Co	1 - 10

BOSCH FORMWORK DRILL BIT

Long and versatile drill bits
Suitable for drilling wood and metal
Standard shank to suit 13mm chuck



Product code:	Drill bit diameter (mm)	Total length (mm)	Shank diameter (mm)
007415	6	600	5
000727	8	600	6
000728	10	600	8
000729	12	600	8
007924	16	600	10
007825	18	600	10
000730	20	600	10

COUNTERSINKS



Product code:	Countersink size (mm)	Shank dia (mm)	Shank length (mm)	Material
004441	13	6	40	Wood
004443	16	6	40	Wood
004442	13	6	20	Mild steel, plastics, non-ferrous metals

HSS COUNTERSINK SET



For steel and hard metals
Sizes included:
10, 12 & 16mm

Product code: 000529

POWERTOOL ACCESSORIES



STEP DRILLS


HSS material
For use in metal (up to 4mm thick)
Hole ranges in stock:



**Product code: 6-20mm: 004444
6-30mm: 004445**

STEP DRILL SET

Complete with storage case
For precision drilling of sheet metals, alloys and plastics up to 4mm thick



Product code: 009674

BOSCH POINTED CHISEL



SDS plus fitting
Length: 250mm

Product code: 000529


BOSCH FLAT CHISEL



SDS plus fitting
Length: 250mm

Product code: 000528

BOSCH SPADE CHISEL



SDS plus fitting
Blade width: 40mm
Length: 250mm

Product code: 000527

SDS PLUS CHISEL SET




Includes 20mm, 40mm and point chisel
Length: 250mm

Product code: 008642

IRWIN FLAT CHISEL


SDS max fitting
Chisel width: 25mm
Length: 280mm



Product code: 004439

IRWIN SPADE CHISEL

SDS max fitting
Blade width: 115mm
Length: 350mm



Product code: 007596

IRWIN SPADE CHISEL


SDS max fitting
Blade width: 80mm
Length: 300mm



Product code: 004440

IRWIN POINTED CHISEL

SDS max fitting
Length: 280mm



Product code: 004431

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

BOSCH BI-METAL HOLE SAWS

Smooth cutting through various materials such as metal, PVC, wood and stainless steel

Threaded fitting



BOSCH PROGRESSOR BI-METAL HOLE SAWS



Smooth cutting through various materials such as metal, PVC, wood and stainless steel
Power-change fitting

Product code:	Diameter (mm)
000605	16
000606	20
000607	22
000608	25
000609	32
000610	38
000611	41
000612	44
000613	51
000614	57
000615	60
000616	64
000617	70
000628	73
000618	76
000619	79
000620	83
000649	86
000621	89
000623	95
000624	102
000625	114
000626	121
000627	152

Product code:	Diameter (mm)
000650	19
007436	20
000651	22
000631	25
000588	32
000652	38
000633	44
000653	51
000635	54
000636	57
000637	64
007437	73
000638	76
007438	79
000639	83
000640	89
000655	102
007439	127
000641	152

POWERTOOL ACCESSORIES



BOSCH HOLESAW ARBOUR					
	Product code:	Drill fitting	Holesaw fitting	Holesaw size range (mm)	Pilot drill length (mm)
	000661	Hex	Threaded	14 - 30	81
	000642	SDS plus	Power-change	16 - 210	85
	000659	Hex	Threaded	32 - 210	102
	007440	Hex	Power-change	16 - 210	85

BOSCH PILOT DRILLS FOR HOLESAWS				
	Product code	Drill bit material	Total length (mm)	Holesaw arbour type
	000643	HSS-G	80	Power-change
	000646	TCT	120	Power-change
	000645	HSS-Co	65	Power-change
	000644	HSS-Co	80	Power-change
	000647	HSS-Co	120	Power-change
	000658	HSS-G	81	Threaded
	000657	HSS-G	102	Threaded

BOSCH PROGRESSOR HOLESAW EXTENSION	
<p>8mm hex shank Length: 305mm</p>	
<p>Product code: 000584</p>	

BOSCH HOLE SAW SET	
<p>Standard screw-on change</p> <p>Contents: 20, 25, 32, 38, 51, 64mm</p> <p>2 x hex socket adaptors</p> <p>1 x Allen key</p>	
<p>Product code: 009369</p>	

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

BOSCH RECIPROCATING SAW BLADES


	Product code:	Total length (mm)	TPI	Material	Pack size
	007432	150	8-14	Sheet metal (1 - 8mm)	5
	007434	150	18	Sheet metal (1.5 - 4mm)	5
	000583	225	18	Sheet metal (1.5 - 4mm)	5
	007433	150	14	Sheet metal (3 - 8mm)	5
	000582	225	14	Sheet metal (3 - 8mm)	5
	007435	150	3	Wood without nails (up to 100mm)	5
	007419	225	3	Wood without nails (up to 175mm)	5
	007422	150	10-14	Wood with nails (up to 100mm) Metal profiles (3 - 10mm)	5
	007421	240	5	Pruning green wood/firewood	5
	007423	150	6	Chipboard/MDF (6 - 60mm)	5
	000581	150	10	Wood with nails (up to 100mm) Metal profiles (3 - 12mm)	5
	000577	200	6-12	Wood with nails (up to 150mm) Sheet metals (3 - 18mm)	2
	007424	200	6-12	Wood with nails (up to 150mm) Sheet metals (3 - 18mm)	5
	007425	200	2	Brick/block (up to 150mm)	1

Possess a 1/2" shank and so are compatible with most reciprocating saw brands

POWERTOOL ACCESSORIES



BOSCH RECIPROCATING SAW BLADE SET - 2 PCE		
Total length (mm)	TPI	Material
200mm	6-10	Wood
240mm	5	Wood (up to 190mm)



BROACH CUTTERS	
For use with mag drills Total cutter length: 60mm (short)	
Product code:	Hole diameter (mm)
004422	12
004423	14
004424	16
008811	18
008497	22

BOSCH RECIPROCATING SAW BLADE SET - 20 PCE	
<p>Contents: An array and reciprocating saw blades suitable for both wood and metal cutting</p> <p>Max total blade length: 150mm</p>	
<p>Product code: 009369</p>	

BROACH CUTTER PILOT DRILL	
<p>Total length: 78mm</p>	
<p>Product code: 004425</p>	

POWERTOOL ACCESSORIES

We Cut Keys!

POWERTOOL
ACCESSORIES

FREUD CIRCULAR SAW BLADES



Product code:	Blade diameter (mm)	Bore (mm)	Number of teeth	Material
000700	160	20	40	Wood
000688	165	20	24	Wood
000689	165	20	40	Wood
000693	180	30	24	Wood
000701	180	30	40	Wood
000702	184	16	40	Wood
000694	184	16	24	Wood
000690	190	30	12	Wood
000695	190	30	24	Wood
000703	190	30	40	Wood
000691	216	30	24	Wood
000696	216	30	48	Wood
000704	216	30	64	Wood
000697	230	30	34	Wood
000698	235	30	34	Wood
000692	250	30	24	Wood
000699	250	30	40	Wood
000705	250	30	60	Wood
000687	260	30	60	Wood
000706	190	30	38	Wood, mild steel (up to 3mm), plastic, aluminium, laminates, plexiglass

POWERTOOL ACCESSORIES

POWERTOOL
ACCESSORIES


BOSCH JIGSAW BLADES				
Product code:	Total length (mm)	Material	Cut	Pack size
000569	83	Softwood, plywood and laminated panels (1.5-15mm)	Curve cut/fast	5
000566	83	Softwood, plywood and laminated panels (1.5-15mm)	Curve cuts/clean	5
000568	92	Softwood (2-15mm), plywood, chipboards, wood core plywood and fibre boards	Straight cut	5
000565	100	Softwood, chipboard, wood core plywood, fibre boards (3-30mm) and plastics (up to 30mm)	Straight cut/fine	5
000564	100	Softwood, chipboard, wood core plywood, fibre boards (3-30mm), laminated and softwood panels (3-30mm), clean surface	Reverse tooth design for extra clean cut	5
000567	100	Softwood, plywood, chipboards, plywood and fibre boards	Straight cut/coarse	5
000578	100	Softwoods (5-50mm), wood core plywood, chipboard, fibre boards, doors and kitchen worktops (up to 50mm)	Straight cut/coarse	5
007426	117	Softwood (3-65mm), chipboards, wood core plywood and fibre boards	Straight cut/fine	5
007427	152	Softwood (5-100mm), chipboards, wood core plywood and fibre boards	Straight cut	5
007428	83	Laminates (1.5-15mm)	Curved cut/clean	3
000579	100	Hardwood, laminated boards, HPL (2-30mm), plastics (up to 30mm)	Straight cut	5
007429	117	Hardwood panels and kitchen worktops (up to 50mm)	Curved cut/clean	3
007430	132	Wood with nails (up to 65mm), plastic, sheet metals (3-10mm), pipes, profiles	Straight cut/coarse	5
000571	92	Very thin sheet metal (1/64 - 3/64" thick)	Straight cut/fast	5
000580	92	Sheet metals (1-3mm)	Straight cut	3
000572	92	Sheet metals (1-3mm)	Straight cut	5
000573	92	Sheet metals (2.5-6mm)	Straight cut	5
000575	132	Sheet metal (2.5-6mm)	Straight cut/fine	5
000574	92	Sheets metals (1-3mm)	Curve cut/fine	5
007431	83	Inox/stainless steel (0.5-1.5mm)	Straight cut	3
000570	83	Inox/stainless steel (1.5-3mm)	Straight cut	3



POWERTOOL ACCESSORIES

POWERTOOL
ACCESSORIES

BOSCH CIRCULAR SAW BLADES - TWIN PACKS



Product code:	Blade diameter (mm)	Bore (mm)	Number of teeth on each blade	Material
009547	190	30	12 & 48	Wood
000686	216	30	48 & 80	Wood
000683	254	30	24 & 80	Wood
000684	260	30	48 & 80	Wood
000685	305	30	60 & 80	Wood

TREND CIRCULAR SAW BLADES



Product code:	Blade diameter (mm)	Bore (mm)	Number of teeth	Kerf (mm)	Material
000317	120	20	24	1.8	Wood
000302	136	20	12	1.5	Wood
000303	136	20	24	1.5	Wood
000318	160	20	24	2.2	Wood
000179	160	20	36	2.2	Wood
000305	160	20	48	2.4	Wood
000312	160	20 (16mm reducer)	52	2.2	Aluminium and plastic
000306	165	20	24	1.5	Wood
000307	165	20	40	1.5	Wood
000308	165	20	52	1.6	Wood
000309	184	30	40	2.6	Wood
000310	190	30	24	2.6	Wood
000311	190	30	40	2.6	Wood
000301	190	30	60	2.8	Aluminium and plastic
000315	215	30	48	2.6	Wood
000316	215	30	60	2.6	Wood
000313	216	30	64	2.8	Wood
000314	250	30	84	3.0	Wood

TREND BUSHING WASHERS



Used to alter the bore size of Trend circular saw blades

Product code	Diameter (mm)	Bore (mm)	Thickness (mm)	Suitable for blade size (mm)
000164	30	20	1.5	190-235
000165	30	20	1.7	250
000161	20	16	1.1	Up to 180
000162	30	16	1.5	190-235
000163	30	16	1.7	250

POWERTOOL ACCESSORIES



BANDSAW BLADE

Dimensions:
1425 x 6.35 x 0.35mm

Suitable for non-ferrous metals,
plastics and wood

6 TPI



Product code: 008931

BOSCH THIN METAL CUTTING DISCS

BEST SELLER

Diameter: 115mm

Thickness: 1mm

Sold individually or in a tin of 10




Product code: 009824

BOSCH CARBIDE MULTI-WHEEL

Ideal for cutting wood, plastic,
plaster and copper pipes

Size: 115mm

Bore: 22.23mm



Product code: 009365

BOSCH RUBBER BACKING PAD


To suit fibre sanding discs on
angle grinders

M14

Size: 115mm








Product code: 000677

BOSCH CUTTING/GRINDING DISCS					
	Product code:	Diameter (mm)	Bore (mm)	Thickness (mm)	Application
	000737	115	22.2	6.0	Grinding
	000736	115	22.2	2.5	Cutting
	000739	230	22.2	6.0	Grinding
	000738	230	22.2	3.0	Cutting
	000741	300	20.0	3.5	Cutting
	000740	355	25.4	2.8	Cutting

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

ANGLE GRINDER FLANGE SET - M14		UNIVERSAL CHUCK KEY		STANDARD BIT		
Pin drive holes at 30mm spacing		Painted zinc alloy body 4 heads for most 10 & 13mm chucks		Sold individually Premium quality		
Product code: 002469		Product code: 002505		Product code:	Drive	Length (mm)
SDS PLUS CHUCK						
Allows standard 13mm chuck to be fitted to an SDS plus rotary hammer						
Product code: 000735						
	IMPACT BITS					
	Product code:	Drive	Length (mm)	Product code:	Drive	Length (mm)
	001720	PH2	25mm	001730	PH1	89mm
	001721	PH3	25mm	001731	PH2	89mm
	001722	PZ2	25mm	001732	PH3	89mm
	001723	PZ3	25mm	001733	PZ1	89mm
	001724	TX25	25mm	001734	PZ2	89mm
	001755	TX30	25mm	001735	PZ3	89mm
	001725	PH2	50mm	001736	TX10	89mm
	001726	PH3	50mm	001737	TX15	89mm
	001727	PZ2	50mm	001754	TX20	89mm
	001728	PZ3	50mm	001738	TX25	89mm
	001729	TX25	50mm	001739	TX30	89mm
	001756	TX30	50mm	001740	TX40	89mm

POWERTOOL ACCESSORIES

POWERTOOL
ACCESSORIES

SCREWDRIVER BIT TIC TAC BOXES

Brand may vary



Product code:	Drive	Length (mm)	Impact rated	Pack size
007559	PZ2	25mm	No	25
007560	PH2	25mm	No	25
007987	PZ2	25mm	Yes	25
007988	PH2	25mm	Yes	25

FAITHFULL SCREWDRIVER BIT SET - 32 PCE



7 x 25mm Pozidrive Bits: PZ0, PZ1, PZ2 (x4), PZ3
 4 x 25mm Phillips Bits: PH0, PH1, PH2, PH3
 5 x 25mm Slotted Bits: 3, 4, 5, 6, 7mm
 7 x 25mm Hex Bits: 2, 3, 4, 5, 6, 7, 8mm
 7 x 25mm TORX (Star) Security Bits: TTX10, TTX15, TTX20, TTX25, TTX27, TTX30, TTX40
 1 x 1/4in Hex to 1/4in Square Drive Adaptor
 1 x 1/4in Quick-Release Magnetic Ejector Bit Holder

Product code: 007991

FAITHFULL SCREWDRIVER BIT SET - 61 PCE



6 x Phillips Screwdriver Bits: PH0, PH1, PH2(3) & PH3
 6 x Pozidrive Screwdriver Bits: PZ0, PZ1, PZ2(3) & PZ3
 5 x Slotted Screwdriver Bits: 3, 4, 5, 6 & 7mm
 12 x Hex Screwdriver Bits: 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7 & 8mm
 13 x Star Screwdriver Bits: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T35 & T40
 7 x Tamperproof Star Screwdriver Bits: TT10, TT15, TT20, TT25, TT27, TT30 & TT35
 6 x Hex Security Screwdriver Bits: 2, 2.5, 3, 4, 5 & 6mm
 5 x Spanner Bits: 4 (2), 6, 8 & 10mm
 1 x Magnetic Bit Holder 60mm

Product code: 007464

DEWALT IMPACT BIT SET - 32 PCE



10 x Pozidrive 25mm Screwdriving Bits: PZ1 (2), PZ2 (5) and PZ3 (3)
 7 x Phillips 25mm Screwdriving Bits: PH1, PH2 (3), PH3 and PR2 (2)
 3 x Slotted 25mm Screwdriving Bits: SL6, SL8 and SL10
 11 x Torx 25mm Screwdriving Bits: T10 (2), T15 (2), T20 (2), T25 (2), T27, T30 and T40
 1 x Magnetic Bit Tip Holder

Product code: 007954

POWERTOOL ACCESSORIES

We Cut Keys!

POWERTOOL
ACCESSORIES

WERA BI-TORISON BET SET - 30PCE

Premium quality



Product code: 001788

SCREWDRIVER BIT SET - 25MM

33 pce

Contains popular drives



Product code: 002568

SECURITY BIT SET - 50MM

33 pce

Contains popular drives



Product code: 002481

SECURITY BIT SET - 98 PCE

1/4" hex drive security bits

Contents:
17 x 75mm bits
79 x 25mm bits
60mm bit holder
25mm connector



Product code: 002522

EXTRA-LONG BIT SET - 9 PCE

Length: 150mm

Contains slotted,
pozi and phillips bits



Product code: 002567

BOSCH RATCHETING SCREWDRIVER SET

**BEST
SELLER**

27 pce



Product code: 009578

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

WERA UNIVERSAL MAGNETIC BIT HOLDER

1/4" hex drive
Stainless sleeve
Strong permanent magnet and retaining ring
Sizes in stock:



Product code: 50mm: 001809
75mm: 001802 152mm: 001808

BIT HOLDER SET

1/4" hex drive
Sizes: 60, 100 & 150mm



Product code: 002538

WERA IMPACT BIT HOLDER

Retaining ring and magnet
1/4" hex drive
Stainless steel holder



Product code: 001798

WERA MAGNETIC IMPACT BIT HOLDER

Retaining ring and magnet
Double torsion spring to absorb extreme impulse peaks
1/4" hex drive



Product code: 001799

WERA RAPIDAPTOR BI-TORSION BIT HOLDER

1/4" hex drive
Torsion zone to absorb peak loads
Allows bit take up without needing to actuate the sleeve
Size: 75mm



Product code: 001803

WERA RAPIDAPTOR UNIVERSAL BIT HOLDER WITH RING MAGNET

1/4" hex driver
Rapidaptor technology for rapid bit change
Ring magnet and stop sleeve
Size: 57mm



Product code: 001804

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

ANGLED MAGNETIC SCREWDRIVER ATTACHMENT

For driving in confined areas
 1/4" hex drive
 Angle: 45 degree
 Length: 130mm



Product code: 002554

FLEXI BIT HOLDER

1/4" hex shank
 Length: 175mm
 For accessing hard-to-reach areas



Product code: 008624

MAGNETIC SOCKET DRIVER

Ideal for use with
 self-drilling screws
 Size: 8mm



Product code: 004519

SDS PLUS SOCKET DRIVER SET - 3 PCE

Converts SDS plus drills to
 socket driver
 Contents: 1/4", 3/8" and 1/2"



Product code: 002517

SOCKET DRIVER SET - 3 PCE

1/4" hex shank
 Sizes: 1/4", 3/8" & 1/2" sockets



Product code: 002542

ROTARY RASP SET

For use with power drills
 and die grinders
 Shank: 6.35mm



Product code: 002493

POWERTOOL ACCESSORIES



DRILL SAW SET

Titanium coated HSS
To cut wood, plastic, plasterboard and aluminium
Sizes in pack: 3, 6 and 8mm



Product code: 008649

FAITHFULL MULTITOOL BLADE SET - 7 PCE

Universal fitting
Contains blades to cut both wood and metal



Product code: 007152

ADDAX MULTI-TOOL BLADES

Universal fitting



Product code:	Cut size (mm)	Blade type	Cut type	Material
004411	10	Straight	Fine cut	Wood
004413	32	Straight	Fine cut	Wood
004412	32	Straight	Coarse cut	Wood
008534	32	Straight	Fine cut	Wood/metal
004414	52	Flexible	Scraper	Paint/glues /silicones
004416	69	Straight	Fine cut	Wood
004415	69	Straight	Coarse cut	Wood
004417	69	Serrated edge	N/A	Soft materials eg) Cardboard
004418	59	Diamond boot	N/A	Grout removal
004419	65	Diamond radial	N/A	Tiles, plaster and porous concrete
004420	87	Radial	N/A	Wood
004421	87	Radial	N/A	Wood/metal

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

TREND MULTI-TOOL BLADES

Universal fitting



Product code:	Cut width (mm)	Cut depth (mm)	Blade type	Materials	Plunge cut	Blade thickness (mm)
000296	64	41	Tapered	Wood with nails, metal, PVC, plasterboard	No	0.6
000292	64	41	Tapered	Hardwood, Wood	No	0.6
000291	64	41	Tapered	Wood, plasterboard, PVC	No	0.6
000287	95	28	Straight	Wood, PVC	Yes	0.9
000290	30	41	Straight	Hardwood/Wood	No	0.6
000289	30	41	Straight	Wood, plasterboard, PVC	Yes	0.6
000293	30	41	Straight	Wood with nails, metal, PVC & plasterboard	Yes	0.6
000295	30	41	Straight	Wood with nails, metal, PVC & plasterboard	Yes	0.6 (TCT)
000294	30	54	Straight	Wood with nails, metal, PVC, plasterboard	Yes	0.6
000288	30	66	Straight	Wood,PVC	Yes	0.6
000297	44	41	Straight	Wood with nails, metal, PVC, plasterboard	Yes	0.6
000298	80	25	Radial	Sheet metal (up to 1mm thick), hardwood, softwood, fibreglass	No	0.6
000299	50	28	Scraper	Caulk, paint, tiles, carpet, insulation foam	N/A	0.8

TREND MULTITOOL BLADE PACK - 6 PCE

Titanium coated for longer life
Contents:



Cut width (mm)	Cut depth (mm)	Number in pack
30	54	2
30	41	2
44	41	2

BOSCH MULTITOOL DELTA SANDING PAD

Size: 93mm
Starlock fitting



Product code: 000663

POWERTOOL ACCESSORIES



BOSCH MULTITOOL PLUNGE CUT BLADE

Bi-metal
Starlock fitting
Cutter width: 20mm
5-pack



Product code: 000664

BOSCH MULTITOOL BLADE SET - 3 PCE

Starlock fitting
Contains blades to cut both wood and metal



Product code: 007926

PALM SANDER SHEETS

5-pack
Size: 115 x 140mm



Product code:

Grit

002387

60

002389

80

002388

120

HOOK AND LOOP SANDING DISCS

5-pack
Size: 125mm



Product code:

Grit

002384

60

002385

120


002386

240

HOOK AND LOOP DELTA SANDING DISCS

Size: 93 x 93mm
Pack of 5

Suitable for wood, plastic, metal and fibre-glass



Product code:

Grit

004005

40

004006

60

004007

80

004008

120

004009

220

ZIRCONIUM FLAP DISC

Size: 115 x 22mm

For use on stainless steel, sheet metal, mild and high-grade steel

Grits in stock:



Product code: 40G: 004001 60G: 004002
80G: 004003 120G: 004002

POWERTOOL ACCESSORIES

We Cut Keys!

POWERTOOL
ACCESSORIES

SANDING BELTS - ALUMINIUM OXIDE

Suitable for wood, metal and filler




Product code	Width (mm)	Length (mm)	Grit
004016	75	533	40
004017	75	533	60
004018	75	533	80
004015	75	533	100
004020	100	610	40
004021	100	610	60
004022	100	610	80
004019	100	610	100

SPINDLE MOUNTED FLAP WHEELS

Designed for use with electric drills and air tools

For use on mild steel, alloy steel and iron



Product code	Dimensions (mm)	Grit
004052	25 x 15	60
004053	50 x 30	60
004054	80 x 50	60

TWIST KNOT CUP BRUSH

Suitable for angle grinders and other specialist machinery

M14 thread

Sizes in stock:



Product code: 70mm: 004026 95mm: 004028

CRIMP CUP BRUSH

Suitable for angle grinders and other specialist machinery

M14 thread

Sizes in stock:



Product code: 75mm: 004027 100mm: 004029

SPINDLE MOUNTED CRIMPED BRUSHES

6mm spindle

Suitable for metal rust and paint



Product code	Brush type	Size (mm)
004031	Circular	50mm
004032	Cup	50mm
004033	Cup	75mm

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

BENCH GRINDER BRUSH


Size: 150 x 20mm
Crimped wire



Product code: 004039

FILAMENT CIRCULAR BRUSH - NON SPARK

Coarse
Size: 100mm



Product code: 004034

CRIMPED WIRE BEVEL BRUSH

Diameter: 115mm
M14 thread - suitable
for angle grinders



Product code: 004030

ASSORTED MOUNTED POINT PACK

6mm spindle
Assorted sizes
10 pce




Product code: 007441

POLISHING KIT - 10 PCE



Product code: 004038

SPINDLE MOUNTED SCRATCH BRUSH PACK



Product code: 004037

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES



TREND KITCHEN WORKTOP JIG

Length: 1185mm
Width: 390mm
Thickness: 12mm
End cut: 45 degrees
Corner mitre joint: 45 degrees
Corner radius: 40mm, 100mm, 400mm
For worktops up to 900mm



Product code: 000148

TREND HINGE JIG

Designed for recessing hinges in wooden doors and frames with a plunge router

Length range: 67 - 127mm
Width range: 9.5 - 35mm
Door height: 1955 - 2100mm
Minimum door width: 16mm



Product code: 008866

TREND LOCK JIG

For door thickness between 34 and 58mm thick

Requires a 1/2" plunge router with 80mm depth and 30mm guide bush with a 6mm spigot

For use with a 12mm long reach cutter

For most common mortice sash and deadlocks



Product code: 000149

EURO LOCK JIG

Contents:
1 x template with sliding aperture
2 x Edge guides
1 x Spacer pack



Product code: 000147

TREND STANDARD POCKET HOLE JIG

For timber thicknesses between 16 - 38mm

Hole pitch: 29 - 63mm



Product code: 000150

TREND SINGLE POCKET HOLE JIG

For timber thicknesses of 12 - 38mm

Built in drill depth gauge



Product code: 009927


POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

TREND ROUTER GUIDE BUSHES

000201 fits directly to a Trend T4 router



Product code:	Outside Dia (mm)	Inside Dia (mm)	Projects from plate (mm)	Plate Dia (mm)	Screw centres (mm)
000221	30	27	6	60	50
000158	30	27	10	60	50
000202	16	14	10	60	50
000201	16	14.9	n/a	60	n/a
010028	20	17	6	60	50

TREND GUIDE BUSH SCREWS

10 pack



Product code: 000200

TREND LOCATION PINS FOR WORKTOP JIGS

4 pack



Product code: 000205

TREND ROUTER CUTTER BEARINGS



Product code	Outer diameter (mm)	Inner diameter (mm)	Thickness (mm)
000169	19	6	6
008947	15.9	6.35	4.7
000168	12.7	4.7	4.7

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES



TREND ROUTER COLLETS



Product code:	Trend router to suit	Diameter
000175	T10 and T11	6.35 (1/4")
000174	T10 and T11	12.7 (1/2")

TREND POCKET HOLE JIG DRILLS

Ideal for hardwoods, softwoods, plywood, MDF and chipboard
For use with Trend pocket hole jigs



Product code:	Drill dia (mm)	Pilot dia (mm)	Overall length (mm)	Shank type
000208	9.5	4.2	155	Straight standard
000209	9.5	4.2	178	Quick chuck

TREND POCKET HOLE SCREWS


500 pack
Square drive
Self-tapping screw
Ideal for hardwoods



Product code:	Thread type	Thread size	Length (mm)
000206	Fine	No 7	30
000207	Coarse	No 7/8	30

TREND PLANER BLADES

Packs of 2



Product code:	Blade length (mm)	Blade width (mm)	Blade thickness (mm)
008844	82	5.5	1.1
000177	80.5	5.9	1.2

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES


TREND COLLET REDUCING SLEEVE

Used to reduce the collet size of a Trend router

Not recommended for heavy use or as a permanent solution

Reduces collet size from 1/2" to 1/4"

Total length: 30mm



Product code: 000176

TREND UNIBASE

Enables routers with non-standard guide bush fittings to accept the Trend range of guide bush fittings



Product code: 000225

MICRO-FILTER BAGS FOR TREND T32 VACUUM

BEST SELLER

For dry use only

Increased performance and heavier duty




Product code: 008555

SNAPPY COUNTERSINK SET

For use with Snappy quick release system


5-pce

Contents: 2, 2.5, 2.75, 3.25 & 3.5mm drill bits



Product code: 000285

SNAPPY COUNTERSINK AND PILOT DRILL

 <p>For use with Snappy quick release system</p>	Product code:	D (mm)	D2 (mm)	Screw size (Gauge)	TCT
	000245	9.5	2.75	6 (hardwood), 8 (Softwood)	Yes
000242	9.5	3.25	10	Yes	
000243	12.7	3.5	10 (hardwood), 12 (Softwood)	Yes	
000244	9.5	2.5	6	No	
000284	9.5	2.75	6 (hardwood), 8 (Softwood)	No	
000283	9.5	3.25	8 (hardwood), 10 (softwood)	No	

POWERTOOL ACCESSORIES

We Cut Keys!


trend
routing technology

POWERTOOL
ACCESSORIES

SNAPPY DRILL AND COUNTERBORE

For use with Snappy quick release system

For use with plug cutters to hide screws below the surface
TCT for use in abrasive materials



Product code:	D (mm)	D2 (mm)
000240	9.5	4.75
000282	12.7	4.75

SNAPPY PLUG CUTTERS

To suit Snappy quick release system



Product code:	Plug size (mm)	Outside diameter (mm)
000286	12.7	19
000266	9.5	15.75

SNAPPY SPARE DRILL BIT FOR COUNTERBORE

HSS

Drill diameter: 4.75mm

Overall length: 75mm



Product code: 000236

SNAPPY STUBBY AUGER BITS

For use with Snappy quick release system



Product code:	Diameter (mm)	Overall length (mm)
000277	13	105
000278	16	105
000279	19	105
000280	25	105
000281	32	105

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

SNAPPY FLAT BITS

For use with Snappy quick release system



Product code:	Diameter (mm)	Overall length (mm)
000229	10	152
000230	12	152
000231	16	152
000232	20	152
000233	22	152
000234	25	152
000235	32	152

SNAPPY DRILL BIT GUIDE

For use with Snappy quick release system

Perfect for making centralised pilot holes when fitting ironmongery



Product code:	Drill diameter (mm)	Screw size
000250	2.0	3.5 (No 6)
000251	2.75	4.0 (No 8)
000252	3.5	5.0 (No 10)
000249	4.36	5.5 (No 12)


SNAPPY COUNTERSINK

For use with Snappy quick release system

For use on hard and softwoods

Diameter: 15.8mm

A: 49 degrees



Product code: 000246

SNAPPY DRILL DEPTH SETTING COLLAR

For use with Snappy quick release system

Can adjust position to suit depth of dowel drilling

Contents: 6, 8, 10mm collars and hex key



Product code: 000241

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES



TREND BISCUITS



Product code:	Biscuit size	Pack size
000217	0	100
000218	10	100
000219	20	100

DOWELS



Product code:	Diameter (mm)	Length (mm)	Pack size
008586	6	30	50
008587	8	30	50
008588	10	35	50

TREND DAMAGED SCREW AND BOLT REMOVER SET

Screw sizes: No6 - No14
(3.5mm - 6.5mm)
Bolt sizes: M4 - M8



Product code: 000203

SNAPPY SQUARE DRIVE ADAPTOR

For use with Snappy quick release system
For use with drills or impact drivers




Product code:	Drive (inches)	Overall length (mm)
000270	1/4"	50
000271	3/8"	50


POWERTOOL ACCESSORIES




SNAPPY QUICK CHUCK

<p>The heart of the Trend Snappy system</p> <p>Converts a standard drill/driver into a Snappy quick release system</p> <p>3/8 hex shank</p> <p>Overall length: 56mm</p>	
Product code: 000268	

SNAPPY MAGNETIC BIT HOLDER

<p>For use with Snappy quick release system</p> <p>High powered ring magnet and bit holder</p> <p>Complete with PZ2 bit</p> <p>Driving depth adjustment</p> <p>Overall length: 62mm</p>	
Product code: 000261	


SNAPPY MAGNETIC QUICK CHUCK

<p>Accepts Snappy style fitting tools</p> <p>Will hold woodscrews when used with insert bits</p> <p>Small diameter: 15mm</p> <p>Overall length: 60mm</p> <p>Shank diameter: 1/4"</p>	
Product code: 000269	


SNAPPY KEYLESS CHUCK

<p>Converts quick chucks to standard parallel shank system</p> <p>Allows for fast swaps between Snappy and standard accessories</p> <p>Capacity: 6mm</p> <p>Outside diameter: 38mm</p>	
Product code: 000257	

SNAPPY MAGNETIC NUT DRIVERS

			
For use with Snappy quick release system			
Product code:	Nut head size (mm)	Bolt thread size	Overall length (mm)
000264	7	M4	65
000265	8	M5	65
000262	10	M6	65
000263	13	M8	65

SNAPPY DRILL BITS

			
To suit Snappy countersinks			
Product code:	Drill diameter (mm)	Overall length (mm)	Pack size
000274	2.0 (5/64)	52.5mm	10
000273	2.5 (3/32)	60mm	10
000275	2.75 (7/64)	68.5mm	10
000248	2.75 (7/64)	Extra long to suit drill bit guide	5
000272	3.25 (1/8)	71.5mm	10

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES



SNAPPY DRILL BITS - 10 PCE MULTI PACK		SNAPPY PZ2 INSERT BITS			
<p>To suit Snappy countersinks</p> <p>Contents: 2 x 2mm 2 x 2.5mm 2 x 2.75mm 2 x 3.25mm 2 x 3.5mm</p>		<p>20 pack</p> <p>Titanium nitride coated</p> <p>Length: 25mm</p>			
Product code: 000247		Product code: 000260			
SNAPPY ONE TOUCH BIT HOLDER		SNAPPY STANDARD MAGNETIC BIT HOLDER		SNAPPY MICRO-DIAMETER BIT HOLDER	
<p>High powered magnet</p> <p>Diameter: 10.3mm</p> <p>Overall length: 150mm</p>		<p>To suit Snappy quick release system</p> <p>To suit standard 25mm insert bits</p> <p>Diameter: 9.4mm</p> <p>Length in stock: 152mm</p>		<p>To suit Snappy quick release system</p> <p>For use with 25mm insert bits</p> <p>High powered magnet Ideal for working on small screws in tight areas</p>	
Product code: 000228		Product code: 000237		Product code:	Overall length (mm)
				000238	66
				000239	150

POWERTOOL ACCESSORIES



POWERTOOL
ACCESSORIES

SNAPPY INSERT BITS



Product code:	Drive	Overall length (mm)	Pack size
000259	PZ2	25	10
000258	PH2	25	10

SNAPPY GLASS DRILL BITS

To suit snappy quick release system
Perfect for drilling through glass, porcelain,
ceramic tiles and mirrors

Not for use on toughened glass

Best performance when used with cooling aid



Product code:	Drill diameter (mm)
008826	6
008827	7
008828	8
008829	10

SNAPPY DOWEL DRILL



To suit Snappy quick release system

Product code	Drill diameter (mm)	Total length (mm)
000254	6	110
000255	8	117
000253	10	130

SNAPPY DRYWALL BITS - WITH DEPTH STOP

2 pack

Drive: PH2



Product code: 000276